

NEWGEN LIFTS

YOUR SMART MOVE!

- 👍 DOMESTIC LIFTS
- 👍 INDUSTRIAL LIFTS
- 👍 INDUSTRIAL RACKS
- 👍 MATERIAL HANDLING EQUIPMENT
- 👍 SERVICES





About Newgen lifts

We take immense pleasure in introducing ourselves as pioneers then and the leading manufacturers to date in Material Handling Equipment, Passenger Elevators & Escalators and racking systems since 1995. Our state-of-the-art manufacturing facility is based in one of the largest and most famous industrial areas in the Asian Continent - Peenya, Bengaluru, Karnataka, India.

Our unit is equipped with a dedicated team full of experienced and technically well-qualified employees with vast experience in the production, designing and quality control of material handling equipment, passenger elevators & escalators and manufacturing of racking systems. We ensure utmost care during the manufacture of our products to give high inbuilt quality and extended durability. Our production and design team strictly abides by the quality norms right from the input of raw materials to the delivery of final products to our esteemed customers.

Newgen is an ISO 9001:2015 certified company committed to bringing in complete customer satisfaction from the initial product design, development, manufacture, on-time supply and after-sales service and other compliances. Since the day of its inception, the company is improvising, upgrading, and updating continuously itself to become one of the major players in the market today.



Our Vision

- 100% customer satisfaction with uncompromising integrity.
- To be leading global brand in sustainable mobility.
- Revolutionizing this industry with innovative and environment-friendly products.



Our Mission

To incorporate the finest and innovative modern technology in the manufacture of material handling equipment, Elevators & Escalators and racking systems to make one's job simple & safe to the world.



Our Values

Great sustainable innovation to provide affordable products and cater to customer needs. To ensure timely and loyal service and improvise on reliability to attain customer satisfaction and trust. We also promise zero carbon emissions to save the environment and promote greener earth.



OUR STRENGTH



MORE THAN 2 DECADES OF DOMAIN EXPERTISE



AN ISO 9001:2015 CERTIFIED COMPANY



BEST QUALITY PRODUCTS



MODERN & LATEST MANUFACTURING TECHNOLOGY



HIGHLY SKILLED & EXPERIENCED TEAM



WHY NEWGEN LIFTS?

BRAND VALUE

6000+ CUSTOMERS

20,000+ PRODUCTS SOLD

DESIGNED AND DEVELOPED 20+ PRODUCTS

COMPETITIVE PRICING

WIDEST RANGE OF PRODUCTS

END-TO-END HANDHOLDING AFTER SALES

UNMATCHED SERVICE AND SPARE PARTS ASSISTANCE

VALUE FOR MONEY

16+ NATIONAL BRANCHES & 4 INTERNATIONAL BRANCHES

SOME OF OUR ESTEEMED CUSTOMERS



Horizontal Movement Experts



HYDRAULIC HAND PALLET TRUCK (STD)

MODEL: HPX-2502-3002(STD)
CAPACITY: 2500-5000 KG
LIFTING HEIGHT: 200MM
FORK LENGTH: 1150MM
FORK WIDTH: 550/685MM
LOWERED HEIGHT: 90MM

HYDRAULIC HAND PALLET TRUCK (EWS)

MODEL: HPX-2002-3002 (EWS)
CAPACITY: 2500-3000 KG
LIFTING HEIGHT: 200MM
FORK LENGTH: 1150MM
FORK WIDTH: 550/685MM
LOWERED HEIGHT: 90MM



HYDRAULIC HAND PALLET TRUCK (SS)

MODEL: HPX-2502-3002(SS)
CAPACITY: 2500-3000 KG
LIFTING HEIGHT: 200MM
FORK LENGTH: 1150MM
FORK WIDTH: 550/685MM
LOWERED HEIGHT: 90MM



ELECTRIC PALLET TRUCK

MODEL: EPX-2002-3002 (STD)
CAPACITY: 2000-3000 KG
LIFTING HEIGHT: 200MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 1150MM
FORK WIDTH: 550/685MM



ELECTRIC PLATFORM TRUCK (RIDE-ON)

MODEL: PRX-1006-4006
CAPACITY: 1000-4000 KG
PLATFORM HEIGHT: 600MM
PLATFORM LENGTH: 1850MM
PLATFORM WIDTH: 1250MM



ELECTRIC PLATFORM TRUCK (STAND-ON)

MODEL: PSX-0506-1006
CAPACITY: 500-1000 KG
PLATFORM HEIGHT: 600MM
PLATFORM LENGTH: 1850MM
PLATFORM WIDTH: 1250MM



Working Table Experts



SCISSOR HAND PALLET TRUCK

MODEL: SPX-1008-1508
CAPACITY: 1000-1500 KG
LIFTING HEIGHT: 800MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 1200MM
FORK WIDTH: 550/685MM

Self Lift Experts

SELF LIFT STACKER

MODEL: SLX-0210-0516
CAPACITY: 200-500 KG
LIFTING HEIGHT: 1000-1600MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 900-1200MM
FORK WIDTH: 360-750MM [ADJ]



Loading / Unloading / Stacking Experts

HYDRAULIC HAND STACKER

MODEL: HSX-0516-2030
CAPACITY: 500-2000 KG
LIFTING HEIGHT: 1600-3000MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 1150MM
FORK WIDTH: 360-750MM[ADJ]



SEMI ELECTRIC STACKER

MODEL: SEX-0516-1535
CAPACITY: 500-1500 KG
LIFTING HEIGHT: 1600-3500MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 1150MM
FORK WIDTH: 360-750MM[ADJ]



Loading / Unloading / Stacking Experts



ELECTRIC STACKER

MODEL: ESX-1016-1536
CAPACITY: 1000-1500 KG
LIFTING HEIGHT: 1600-3600MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 1150MM
FORK WIDTH: 560MM



ELECTRIC STACKER (FFTL)

MODEL: ESX-1016-1560(FFTL)
CAPACITY: 1000-1500 KG
LIFTING HEIGHT: 1600-6000MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 1150MM
FORK WIDTH: 560MM



ELECTRIC STACKER (WIDER VERSION)

MODEL: ESX-1016-1560(W)
CAPACITY: 1000-1500 KG
LIFTING HEIGHT: 1600-6000MM
LOWERED HEIGHT: 90MM
FORK LENGTH: 1150MM
FORK WIDTH: 400-750MM (ADJ)



ELECTRIC COUNTER BALANCE STACKER

MODEL: CBX-0516-1536
CAPACITY: 500-1500 KG
LIFTING HEIGHT: 1600-3600MM
LOWERED HEIGHT: 75MM
FORK LENGTH: 900-1200MM
FORK WIDTH: 300-750MM(ADJ)



Loading / Unloading / Stacking Experts



ELECTRIC REACH STACKER

MODEL: RSX-0516-1536
CAPACITY: 500-1500 KG
LIFTING HEIGHT: 1600-3600MM
LOWERED HEIGHT: 75MM
FORK LENGTH: 900-1200MM
FORK WIDTH: 300-750MM[ADJ]

ELECTRIC REACH TRUCK

MODEL: RTX-1016-2085
CAPACITY: 1000-2000 KG
LIFTING HEIGHT: 1600-8500MM
LOWERED HEIGHT: 75MM
FORK LENGTH: 900-1200MM
FORK WIDTH: 300-750MM [ADJ]



Dock Experts



HYDRAULIC DOCK LEVELER

MODEL: DLX-1004
CAPACITY: 10000KG
LIFTING HEIGHT: 300/450MM
LOWERED HEIGHT: 480MM
PLATFORM SIZE: 2130X2730MM

HYDRAULIC SCISSOR LIFT (PIT)

MODEL: LPX-0515-5030
CAPACITY: 500-5000KG
LIFTING HEIGHT: 1500-3000MM
LOWERED HEIGHT: 400-1000MM
PLATFORM LENGTH: 1200-6000MM
PLATFORM WIDTH: 600-2000MM



Maintenance Experts



HYDRAULIC SCISSOR LIFT (MOBILE)

MODEL: LMX-0206-1015
CAPACITY: 200-1000 KG
LIFTING HEIGHT: 600-1500MM
LOWERED HEIGHT: 340MM
PLATFORM SIZE: 500X850MM

SEMI ELECTRIC WORKING PLATFORM

MODEL: SWX-0230-05150
CAPACITY: 200-500 KG
LIFTING HEIGHT: 3000-15000MM
LOWERED HEIGHT: 600-1500MM
PLATFORM LENGTH: 1200-2400MM
PLATFORM WIDTH: 600-1200MM



Vertical Movement Experts




PASSENGER LIFT

MODEL: MRX-SERIES
(MACHINE ROOM - LIFT)
MODEL: RLX-SERIES
(MACHINE ROOMLESS - LIFT)
MODEL: HLX-SERIES
(HYDRAULIC - LIFT)



VACUUM LIFTS

MODEL: VLX-SERIES



HYDRAULIC GOODS LIFT

MODEL: HGX-0530-20120
CAPACITY: 500-2000KG
LIFTING HEIGHT: 3000-12000MM
LOWERED HEIGHT: 600MM
SHAFT SIZE: 900-1500MM

WIRE ROPE GOODS LIFT

MODEL: RGX-0530-20150
CAPACITY: 500-2000 KG
LIFTING HEIGHT: 3000-15000MM
LOWERED HEIGHT: 150MM
SHAFT SIZE: 900-1800MM



Pick And Place Experts



SEMI / FULLY ELECTRIC ORDER PICKER

MODEL: OPX-0216-0630
CAPACITY: 200-600 KG
LIFTING HEIGHT: 1600-3000MM
LOWERED HEIGHT: 600-1500MM
PLATFORM LENGTH: 600MM
PLATFORM WIDTH: 600MM



DRUM HANDLING STACKER

MODEL: DHX-0315
CAPACITY: 300KG
LIFTING HEIGHT: 1500MM
LOWERED HEIGHT: NA
LEG WIDTH: 1000MM

Drum Handling Experts



ELECTRIC DRUM HANDLING STACKER

MODEL: DEX-0315
CAPACITY: 300KG
LIFTING HEIGHT: 1500MM
LOWERED HEIGHT: NA
LEG WIDTH: NA

SEMI ELECTRIC DRUM HANDLING STACKER

MODEL: DSX-0315
CAPACITY: 300KG
LIFTING HEIGHT: 1500MM
LOWERED HEIGHT: NA
LEG WIDTH: 1000MM



Towing Experts



ELECTRIC TOW TRUCK (I/O)

MODEL: ETX-1009-5009
CAPACITY: 1000-5000 KG
EQUIPMENT LENGTH: 1790MM
EQUIPMENT WIDTH: 990MM
EQUIPMENT HEIGHT: 900MM

All Round Experts

DIESEL FORK LIFT

MODEL: DFX-1016-5090
CAPACITY: 1000-9000 KG
LIFTING HEIGHT: 1600-6000MM
LOWERED HEIGHT: 75MM
FORK LENGTH: 900-1200MM
FORK WIDTH: 200-1200MM [ADJ]



ELECTRIC FORK LIFT

MODEL: EFX-1016-3060
CAPACITY: 1000-3000 KG
LIFTING HEIGHT: 1600-6000MM
LOWERED HEIGHT: 75MM
FORK LENGTH: 900-1200MM
FORK WIDTH: 200-1200MM [ADJ]

Racking Experts

Our racking components are manufactured in high-grade steel to adhere to international standards. Our quality management system ensures that every component passes through multiple quality checks before it gets fixed in your warehouse. Newgen's project management team members are agile and highly experienced in project planning, quality control and timely execution. Our proactive approach helps us to anticipate restraints and take necessary steps to successfully deliver projects on time and bring 100% customer satisfaction.



Cantilever Racking Systems



Heavy duty Racking Systems



Mezzanine Racking Systems



Selective Racking Systems



PAN INDIA NETWORK

Ahmedabad ahmedabad@newgenlifts.com
Chandigarh chandigarh@newgenlifts.com
Coimbatore coimbatore@newgenlifts.com
Hyderabad hyderabad@newgenlifts.com
Kolkata kolkata@newgenlifts.com
Mumbai mumbai@newgenlifts.com
Pune pune@newgenlifts.com
Lucknow lucknow@newgenlifts.com

Baroda baroda@newgenlifts.com
Chennai chennai@newgenlifts.com
Delhi delhi@newgenlifts.com
Goa goa@newgenlifts.com
Cochin cochin@newgenlifts.com
Nasik nasik@newgenlifts.com
Rajkot rajkot@newgenlifts.com
Vapi vapi@newgenlifts.com

SOCIAL MEDIA NETWORK

NEWGENLIFTS



Call Us

+91 80 2836 5 444

+91 80 2836 6 444

Sales +91 99 450 30 707

Service +91 99 450 30 909



NEWGEN LIFTS
YOUR SMART MOVE!

PLANT

NEWGEN LIFTS INDIA PRIVATE LIMITED

Plot no.51/1B, Next to Manjushree Garments
T.P. Main Road, Peenya II nd stage, PIA
Bengaluru 560058, Karnataka, India



www.newgenlifts.com / sales@newgenlifts.com